

Notice of Allowability	Application No.	Applicant(s)
	10/670,426	SILVEIRA ET AL.
	Examiner	Art Unit
	Emmanuel Bayard	2611

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to communication filed on 1/13/07.
2. The allowed claim(s) is/are 1-23.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

DETAILED ACTION

This is in response to amendment filed on 1/13/07 in which claims 1-23 are pending. The applicant's amendments have been fully considered therefore this case is in condition for allowance.

Allowable Subject Matter

1. The following is an examiner's statement of reasons for allowance: the prior arts of record fail to anticipate or render obvious the following recited features: substantially canceling the cross-correlation between input data streams present in the plurality of sector cross-correlated signals to produce a plurality of corrected sector cross-correlated signals, wherein: the step of substantially canceling the cross-correlation substantially removes, from a single sector cross-correlated signal, the correlated components of all other sector cross-correlated signals; producing normalized power feedback signals from the plurality of corrected sector cross-correlated signals; and determining, from the normalized power feedback signals, a plurality of weighted vector values as recited in claim 1. A cancellation module operably coupled to receive $M^{sup.2}$ sector cross-correlated signals and 2^*N input cross-correlated signals and to produce $M^{sup.2}$ corrected sector cross-correlated signals; a power determination module operably coupled to receive the $M^{sup.2}$ corrected sector cross-correlated signals, the power determination module for producing a plurality of normalized power feedback signals from the received $M^{sup.2}$ corrected sector cross-correlated signals; and a weighted vector adjustment module operably coupled to receive the plurality of normalized power feedback signals, the weighted vector adjustment module further

producing a plurality of weighted vector values, wherein the plurality of weighted vector values function to minimize undesired signal components in the plurality of sector signals as recited in claim 7. For each magnitude and phase component of each of the plurality of weighted vector values, receive a second undesired signal power level resulting from adding a second increment to each of the magnitude and phase components of the weighted vector values; and adjusting each magnitude and phase component of the weighted vector values with one of the first increment or second increment based on the increment that results in the lowest undesired signal power level as recited in claim 21.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Emmanuel Bayard whose telephone number is 571 272 3016. The examiner can normally be reached on Monday-Friday (7:Am-4:30PM) Alternate Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel can be reached on 571 272 2988. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Emmanuel Bayard
Primary Examiner
Art Unit 2611

2/28/07



EMMANUEL BAYARD
EXAMINER